

861 Advanced Compact IC Column Heating

Metrohm AG CH-9101 Herisau Switzerland Phone +41 71 353 85 85 Fax +41 71 353 89 01 info@metrohm.com www.metrohm.com

1 Declaration of Conformity

	This is to certify the conformity to the standard specifications for electrical appliances and accessories, as well as to the standard specifications for security and to system validation issued by the manufacturing company.	
Name of commodity	2.861.0500 Adv	anced Compact IC Column Heating
	The 2.861.0500 Advanced Compact IC Column Heating is used to regulate the temperature of the separation column.	
	This instrument has been built and has undergone final type testing according to the standards:	
Electromagnetic compatibility	Emission:	EN/IEC 61326-1: 2006, EN/IEC 61000-6-3: 2006, EN 55022 / CISPR 22: 2003
	Immunity:	EN/IEC 61326-1: 2006, EN/IEC 61000-6-2: 2005, EN/IEC 61000-4-2: 2001, EN/IEC 61000-4-3: 2006, EN/IEC 61000-4-4: 2004, EN/IEC 61000-4-5: 2006, EN/IEC 61000-4-6: 2007, EN/IEC 61000-4-11: 2004, EN/IEC 61000-4-14: 2004
Safety specifications	EN/IEC 61010-1: 2001, UL 61010-1: 2004, CSA-C22.2 No. 61010-1: 2004, degree of protection IP20, protection class III	
	This instrument meets the requirements of the CE mark as contained in the EU directives 2006/95/EC (LVD), 2004/108/EC (EMC). It fulfils the following specifications:	
	EN 61326-1	Electrical equipment for measurement, control and laboratory use – EMC requirements
	EN 61010-1	Safety requirements for electrical equipment for measurement, control and laboratory use
Manufacturer	Metrohm Ltd., CH-9101 Herisau/Switzerland	
	Metrohm Ltd. is holder of the SQS certificate ISO 9001:2000 Quality manage- ment system for development, production and sales of instruments and acces- sories for ion analysis.	

Herisau, 18 November 2010

D. Strohm Vice President, Head of R&D

J. D. Jach

A. Dellenbach Head of Quality Management

2 Quality Management Principles

Metrohm Ltd. holds the ISO 9001:2000 Certificate, registration number 10872-02, issued by SQS (Swiss Association for Quality and Management Systems). Internal and external audits are carried out periodically to assure that the standards defined by Metrohm's QM Manual are maintained.

The steps involved in the design, manufacture and servicing of instruments are fully documented and the resulting reports are archived for ten years. The development of software for PCs and instruments is also duly documented and the documents and source codes are archived. Both remain the possession of Metrohm. A non-disclosure agreement may be asked to be provided by those requiring access to them.

The implementation of the ISO 9001:2000 quality management system is described in Metrohm's QM Manual, which comprises detailed instructions on the following fields of activity:

Instrument development

The organization of the instrument design, its planning and the intermediate controls are fully documented and traceable. Laboratory testing accompanies all phases of instrument development.

Software development

Software development occurs in terms of the software life cycle. Tests are performed to detect programming errors and to assess the program's functionality in a laboratory environment.

Components

All components used in the Metrohm instruments have to satisfy the quality standards that are defined and implemented for our products. Suppliers of components are audited by Metrohm as the need arises.

Manufacture

The measures put into practice in the production of our instruments guarantee a constant quality standard. Production planning and manufacturing procedures, maintenance of production means and testing of components, intermediate and finished products are prescribed.

Customer support and service

Customer support involves all phases of instrument acquisition and use by the customer, i.e. consulting to define the adequate equipment for the analytical problem at hand, delivery of the equipment, user manuals, training, after-sales service and processing of customer complaints. The Metrohm service organiza-

tion is equipped to support customers in implementing standards such as GLP, GMP, ISO 900X, in performing Operational Qualification and Performance Verification of the system components or in carrying out the System Validation for the quantitative determination of a substance in a given matrix.